

# 剪刀和咬切機的KL系列產品 KL Product Line of Shears and Nibblers



來自KETT新的直柄電動型剪刀

## New Straight-Handle Electric Models from Kett Tool

Featuring two complete tools and eight models with interchangeable heads

Kett is now offering a product line of straight-handle electric shears and nibblers. The new KL product line offers several models that are first-time offerings from Kett, including the KL-2030 18 gauge long neck nibbler and the KL-2040 13 gauge throatless shear. Both are complete tools with stationary heads.

**KETT**  
TOOL COMPANY  
We Make The Cut™

## KL-2030

### 18 Gauge Long Neck Nibbler

厚度1.214mm 長頸咬切機

- 4 AMP, 2500 RPM single-speed, double-insulated, electric motor
- Cuts 18 gauge C.R. mild steel and most grades of stainless to 20 gauge
- Cuts flat and corrugated sheet at more than 80 inches per minute
- 1.5-inch minimum cutting radius
- Lightweight at 4.5 pounds
- Replaceable punch and die (order Kit #130)
- Cuts a clean burr free cut 1/4 inch wide
- Complete tool with stationary head

**NEW**

#### Specifications 規格

<b>Shear Head 剪刀頭</b>	<b>AMPS 安培數</b>
N/A	4 AMPS
<b>Capacity 能力</b>	<b>Power Source 電源供應</b>
18 Gauge C.R. Mild Steel	120 Volt
/20 Gauge Stainless	<b>Length 長度</b>
<b>Motor 馬達</b>	10.5
253-80	<b>Weight 重量</b>
<b>Max RPM 最大轉速</b>	4.5
2500 RPM	



## KL-240

### 14 Gauge Double-Cut Shear

厚度1.897mm 雙-切剪刀



- 4 AMP, 2500 RPM single-speed, double-insulated, electric motor
- Cuts 14 gauge C.R. mild steel and most grades of stainless to 18 gauge
- Cuts flat and mild corrugated sheet at more than 200 inches per minute
- 12-inch minimum cutting radius
- Lightweight at 5 pounds
- Shear blades are replaceable (order Kit #106)
- Rotating head can be locked in any 360-degree position
- Cuts a clean burr free cut 7/32 inch wide

#### Specifications 規格

<b>Shear Head 剪刀頭</b>	<b>AMPS 安培數</b>
40-20	4 AMPS
<b>Capacity 能力</b>	<b>Power Source 電源供應</b>
14 Gauge C.R. Mild Steel	120 Volt
/18 Gauge Stainless	<b>Length 長度</b>
<b>Motor 馬達</b>	13.5
253-80	<b>Weight 重量</b>
<b>Max RPM 最大轉速</b>	5
2500 RPM	

## KL-242

### 16 Gauge Double-Cut Shear

厚度1.519mm 雙-切剪刀



- 4 AMP, 2500 RPM single-speed, double-insulated, electric motor
- Cuts 16 gauge C.R. mild steel and most grades of stainless to 18 gauge
- Cuts flat and mild corrugated sheet at more than 200 inches per minute
- 12-inch minimum cutting radius
- Lightweight at 4 pounds
- Shear blades are replaceable (order Kit #106)
- Rotating head can be locked in any 360-degree position
- Cuts a clean burr free cut 7/32 inch wide

#### Specifications 規格

<b>Shear Head 剪刀頭</b>	<b>AMPS 安培數</b>
42-20	4 AMPS
<b>Capacity 能力</b>	<b>Power Source 電源供應</b>
16 Gauge C.R. Mild Steel	120 Volt
/18 Gauge Stainless	<b>Length 長度</b>
<b>Motor 馬達</b>	13
253-80	<b>Weight 重量</b>
<b>Max RPM 最大轉速</b>	4
2500 RPM	

## KL-200

### 18 Gauge Double-Cut Shear

厚度1.214mm 雙-切剪刀



- 4 AMP, 2500 RPM single-speed, double-insulated, electric motor
- Cuts 18 gauge C.R. mild steel and most grades of stainless to 20 gauge
- Cuts flat and mild corrugated sheet at more than 300 inches per minute
- 6-inch minimum cutting radius
- Lightweight at 4 pounds
- Shear blades are replaceable (order Kit #102)
- Rotating head can be locked in any 360-degree position
- Cuts a clean burr free cut 7/32 inch wide

#### Specifications 規格

<b>Shear Head 剪刀頭</b>	<b>AMPS 安培數</b>
60-20	4 AMPS
<b>Capacity 能力</b>	<b>Power Source 電源供應</b>
18 Gauge C.R. Mild Steel	120 Volt
/20 Gauge Stainless	<b>Length 長度</b>
<b>Motor 馬達</b>	13
253-80	<b>Weight 重量</b>
<b>Max RPM 最大轉速</b>	4
2500 RPM	

# KL-2040

## 13 Gauge Throatless Shear

厚度2.278mm 無喉寬剪刀

- 4 AMP, 2500 RPM single-speed, double-insulated, electric motor
- Cuts 13 gauge C.R. mild steel and most grades of stainless to 15 gauge
- Cuts flat and corrugated sheet at more than 220 inches per minute
- 10-inch minimum cutting radius
- Lightweight at 7 pounds
- Shear blades are replaceable (order Kit #140)
- Cuts a clean burr free cut

**NEW**

### Specifications 規格

<b>Shear Head 剪刀頭</b>	<b>AMPS 安培數</b>
N/A	4 AMPS
<b>Capacity 能力</b>	<b>Power Source 電源供應</b>
13 Gauge C.R. Mild Steel /15 Gauge Stainless	120 Volt
<b>Motor 馬達</b>	<b>Length 長度</b>
253-80	11
<b>Max RPM 最大轉速</b>	<b>Weight 重量</b>
2500 RPM	7



# KL-1020

## 18 Gauge Nibbler

厚度1.214mm 咬切機



- 4 AMP, 2500 RPM single-speed, double-insulated, electric motor
- Cuts 18 gauge C.R. mild steel and most grades of stainless to 20 gauge
- Cuts flat and corrugated sheet up to 55 inches per minute
- The minimum cutting radius is 5/8 inch
- Lightweight at 4 pounds
- Easily replaceable punch and die (order Kit #110)
- Can be locked in any 360-degree position
- Cuts a clean, even line 3/16 inch wide

### Specifications 規格

<b>Shear Head 剪刀頭</b>	<b>AMPS 安培數</b>
1020	4 AMPS
<b>Capacity 能力</b>	<b>Power Source 電源供應</b>
18 Gauge C.R. Mild Steel /20 Gauge Stainless	120 Volt
<b>Motor 馬達</b>	<b>Length 長度</b>
253-80	10.5
<b>Max RPM 最大轉速</b>	<b>Weight 重量</b>
2500 RPM	4

# KL-241

## Heavy Duty Scissor Shear

重型剪式剪刀



- 4 AMP, 2500 RPM single-speed, double-insulated, electric motor
- Cuts 24 gauge C.R. mild steel and 18 gauge wire mesh
- Lightweight at 5 pounds
- Shear blades are replaceable (order 41-21 and 41-22)
- Rotating head can be locked in any 360-degree position
- "Rabbit Ear" blades for fast, accurate cutting of steel siding and other light gauge metal
- Rigid plastics up to 1/8 inch thick
- Soft plastic and rubber to 1/4 inch

### Specifications 規格

<b>Shear Head 剪刀頭</b>	<b>AMPS 安培數</b>
41-20	4 AMPS
<b>Capacity 能力</b>	<b>Power Source 電源供應</b>
24 Gauge C.R. Mild Steel /1/8" Plastic	120 Volt
<b>Motor 馬達</b>	<b>Length 長度</b>
253-80	15
<b>Max RPM 最大轉速</b>	<b>Weight 重量</b>
2500 RPM	5

# KL-280

## Scissor Shear

剪式剪刀



- 4 AMP, 2500 RPM single-speed, double-insulated, electric motor
- Cuts pliable materials such as vinyl, woven woods, chipboard, foam rubber, linoleum, heavy foil, light insulated wire and light mesh screening
- Lightweight at 4 pounds
- Shear blades are replaceable (order 80-21 and 80-22)
- Rotating head can be locked in any 360-degree position
- "Rabbit Ear" blades to funnel thick soft materials for a flowing cut

### Specifications 規格

<b>Shear Head 剪刀頭</b>	<b>AMPS 安培數</b>
80-20	4 AMPS
<b>Capacity 能力</b>	<b>Power Source 電源供應</b>
Pliable Materials	120 Volt
<b>Motor 馬達</b>	<b>Length 長度</b>
253-80	15
<b>Max RPM 最大轉速</b>	<b>Weight 重量</b>
2500 RPM	4

## KL-246L

### 18 Gauge Profile Shear

厚度1.214mm 輪廓剪



- 4 AMP, 2500 RPM single-speed, double-insulated, electric motor
- Cuts 18 gauge C.R. mild steel and most grades of stainless to 20 gauge
- Cuts flat and corrugated sheet at more than 300 inches per minute
- 3-inch minimum cutting radius
- Lightweight at 5 pounds
- Shear blades are replaceable (order Kit #146L)
- Rotating head can be locked in any 360-degree position
- Scissor action allows corrugated material to be cut easily
- Left-curving blades make it easier for right-handed users to make left and straight cuts

#### Specifications 規格

<b>Shear Head</b> 剪刀頭	<b>AMPS</b> 安培數
46-20L	4 AMPS
<b>Capacity</b> 能力	<b>Power Source</b> 電源供應
18 Gauge C.R. Mild Steel	120 Volt
/20 Gauge Stainless	<b>Length</b> 長度
<b>Motor</b> 馬達	14
253-80	<b>Weight</b> 重量
<b>Max RPM</b> 最大轉速	5
2500 RPM	

## KL-246R

### 18 Gauge Profile Shear

厚度1.214mm 輪廓剪刀



- 4 AMP, 2500 RPM single-speed, double-insulated, electric motor
- Cuts 18 gauge C.R. mild steel and most grades of stainless to 20 gauge
- Cuts flat and corrugated sheet at more than 300 inches per minute
- 3-inch minimum cutting radius
- Lightweight at 5 pounds
- Shear blades are replaceable (order Kit #146R)
- Rotating head can be locked in any 360-degree position
- Scissor action allows corrugated material to be cut easily
- Right-curving blades make it easier for left-handed users to make right and straight cuts

#### Specifications 規格

<b>Shear Head</b> 剪刀頭	<b>AMPS</b> 安培數
46-20R	4 AMPS
<b>Capacity</b> 能力	<b>Power Source</b> 電源供應
18 Gauge C.R. Mild Steel	120 Volt
/20 Gauge Stainless	<b>Length</b> 長度
<b>Motor</b> 馬達	14
253-80	<b>Weight</b> 重量
<b>Max RPM</b> 最大轉速	5
2500 RPM	



Kett has been the leading supplier of precision-built, industrial-rated power tools for craftsmen, mechanics, contractors and fabricators since 1940. The KL product line is just another example of Kett's commitment to providing the right tool no matter what materials you are cutting. Kett power tools help you make the cut.