

Pumping... 泵

offer two types of heavy duty submersible drainage pumps allowing water removal from all construction sites :

Submersible flexible shaft pump 72M3/h with petrol or diesel engine and Hydraulic pump.

Power and performance for a multitude of applications.



Submersible flexible shaft pump BGA



..... 57

Hydraulic submersible pump



..... 58

BGA Pump BGA泵

Submersible flexible shaft pump 72 M³/H 沈水可撓性軸泵72M³/H

High capacity submersible pump for draining and removal of water from trenches and building sites without use of electric power.

HONDA



LOMBARDINI



ADVANTAGES

- Pump with high output and a capacity of 72M³/H
- Cast steel impeller
- Solid size capacity : 15mm
- High quality components and strong flexible shaft, 5m or 7m
- Easy to use : Priming not necessary
- Two-dog coupling identical to BGA poker vibrators which enable compatibility and versatility in utilisation between water removal and concreting work
- Autonomous, portable and light weight in size, this pump can be used in a multitude of applications
- Same engine power units used together with BGA poker vibrators
- Discharge hose of 10 meter and 3" (75mm), fireman's quick release coupling options available
- 2800 rpm, max. head height 13m



Cast steel impeller



Complete pumps

Ref	Model	Detail
165.9.047K +165.9.038	Complete BGA pump 5m with accessories	BGA pump with 5m hose + fireman couplings 3" + discharge hose 10m + drive unit HONDA GX160
BGAP02K +165.9.038	Complete BGA pump 7m with accessories	BGA pump with 7m hose + fireman couplings 3" + discharge hose 10m + drive unit HONDA GX160

165.9.047K
+ 165.9.038



BGAP02K
+ 165.9.038



Lay flat hose
complete with
clips



Fireman's
coupling



Separate items

Ref	Power Unit Model	Motor Power (hp / kW)	Engine Speed (rpm)	Dimensions (mm)			Weight (kg)
				W	H	L	
165.9.038	Power Unit Honda GX160 Petrol	5.5 / 4	2800	420	520	445	26
165.9.036	Power Unit Robin EX17 Petrol	6 / 4.4	2800	420	520	445	26
165.9.049	Power Unit Lombardini Diesel	4 / 3	2800	430	630	500	38
165.9.034	Power Unit Hatz 1B20 Diesel	4 / 3	2800	430	630	500	43
165.9.047	BGA pump with 5m hose						22
BGAP02	BGA pump with 7m hose						28
OPB/01/DIO	Lay flat hose complete with clips						
OPB/02/DIO	Fireman's coupling						

Hydraulic Water Pump



Submersible hydraulic pump 沈水油壓泵

Submersible Hydraulic water pump with great capacity for removal of water from building sites and trenches.



ADVANTAGES

- Heavy duty applications combined with flow up to 52M³/H
- Hydraulic system providing power and great longevity
- Hydraulic flow of 20 litres/min, 140 bars
- Cast steel impeller
- Connected to a Belle compact hydraulic power pack, this unit ensures complete autonomy on construction sites and without use of electric power
- Belle hydraulic water pump can be run by either Midi 20-140 or Major 20-160X
- Optional accessories; hydraulic hose of 7 meters and discharge hose of 10 meters (delivered with hydraulic power packs)
- Maximum discharge head: 25 meters



Ref	Model	Capacity (M ³ /H)	Discharge hose (bars)	Hydraulic flow alone (kg)	Oil pressure with hose (kg)	Weight of pump	Weight of pump
2322-S	Heavy duty water pump (Midi/Major)	52	50 mm / 2'	20	140	10	26
Options							
2210-H	2' Discharge Hose						
2262	Main hose set (Midi/Major)						



Ref	Model Hydraulic Power Pack	Power (hp / kW)	Pressure (Bar)	Flow (l/min)	Dimensions (mm)			Weight (kg)
					W	H	L	
PAN20140	Midi 20-140 Petrol Honda	9 / 6.6	140	20	550	570	750	60
PAN20160X	Major 20-160X Petrol Honda	13 / 9.6	160	20	555	586	807	72