

# Mixing... 混合攪拌機

offers a complete range of products for mixing cement and concrete. Electric stirrers, light weight and heavy duty site mixers covering all types of applications, for professional use including the rental and contracting industry.

Mixers of the highest quality are designed for your specific needs. Portable compact mixers with large capacity covering mobile or site applications can be either electric or engine powered.

Electric stirrers



Promix 1200/1600W .....30

Compact portable mixers



130 - 180 L



Minimix 150 drum capacity 130 litres .....31  
TBE 130/165 drum capacity 130 to 165 litres.....32  
BWE 80/110/130 drum capacity 130 to 180 litres...33

Large capacity mobile and site mixers



250 - 400 L



BWE 150/200/250 vol. drum capacity 300-400 L ...34  
Superior volume drum capacity 280-380 L.....35  
Premier XT volume drum capacity 250-400 L .....36  
Tract Mix volume drum capacity 350 L.....37



BELLE CLEAN - Concrete dissolver .....38

# Promix 1200-1600

## Electric stirrers with variable speed 可變速度電動攪拌機

Hand held paddle mixers, suitable for high viscosity materials like plaster, cement, mortar, tile adhesives and render.

With a 2 speed gearbox and variable speed control, you can be sure of getting the perfect mix.



### ADVANTAGES

- Variable Speed Control: **1200E** **1600E**  
Speed 1st Gear : 76-262 rpm 153-310 rpm  
Speed 2nd Gear : 218-578 rpm 309-670 rpm
- Incorporates Fail-Safe Trigger Lock.
- Slow Start, Low Splash.
- Range of paddles to suit all applications.
- Heavy duty motor and long life gearbox.
- Easy Maintenance procedure.
- High Power & Torque.
- Easy to change tools.

Mixing



Ref	Model	Motor Power (W)	Mixing Volume (litres)	Paddle Fitting	Max. Paddle Diameter (mm)	Height With Paddle (mm)	Weight No Paddle (kg)	Weight (kg)
PROM05	1200E Promix paddle mixer*	1200	113	M14 x 2	140	865	5.5	7
PROM06	1600E Promix paddle mixer*	1600	227	M14 x 2	160	865	6.2	7.8
949/99584	2 Blade paddle 140mm diameter							
949/99585	2 Blade paddle 160mm diameter							

\*(CE plug)



# Minimix 150

MINMIX 150型

**Compact tip up professional mixer 結實頂起專業混合機**

A range of mixers for the professional and rental users. Built for site durability, these are quality, portable mixers for all small to medium building projects.

**The number one choice for mixers worldwide.**

**HONDA**



**110  
230**



## ADVANTAGES

- Light and portable the 150 mixes a full barrow load
- Used with the stand allows barrow-height mixing and tipping - Patented design
- Electric or Petrol options available
- Enclosed Electric motor, sealed to IP 45
- Full thermal overload protection
- CE compliant, with NVR (No Volt Release) safety power switch
- Variable throttle on Honda GX120 variant



Mixing

Ref	Model	Max Motor Power	(hp / kW)	Drum Volume (litre)	Mixing Output (litre)	Drum Speed (rpm)	Dimensions off stand (mm)			Weight without stand* (kg)
							W	H	L	
M54B	Minimix 150	Honda GX120	4 / 2.9	130	90	10-24	605	890	1220	61
M52B	Minimix 150	Robin EH09	2.8 / 2.1	130	90	24	605	890	1220	60.5
M22B	Minimix 150	110v (60Hz)	0.75 / 0.55	130	90	24	605	890	1220	55
M18BE	Minimix 150	230v - EURO1	0.75 / 0.55	130	90	24	605	890	1220	55

\*Weight stand: 9.5kg



# TBE 130/165


TBE 130/165型

## Economic light weight mixer. 經濟型重量輕混合機

Economical, used by DIY or semi-professionals.

These upright mixers use a proven motor and gear system to provide reliable mixing.



 230 - 50Hz



### ADVANTAGES

- The builder's choice for portability and safety
- Loads or tips either side for fast operation
- Barrow height discharge
- Easy to maintain
- Electric
- CE compliant, with NVR (No Volt Return) safety power switch
- Extra light weight vertical mixers, easily maneuverable
- Compact design

Mixing

Ref	Model	Motor Power (hp / kW)	Drum Volume (litres)	Mixing Output (litre)	Drum Speed (rpm)	Dimensions (mm)			Weight (kg)
						W	H	L	
MU27	TBE 130 Electric 230v 50hz	0.6 / 0.45	130	80	29	790	1230	1160	50
MU28	TBE 165 Electric 230v 50hz	0.6 / 0.45	165	100	29	790	1295	1160	53

Supplied Ex-Works Belle Poland, minimum order quantity - 65 units (1 40ft container), 33 units (1 20ft container)

France minimum order quantity - 10 units



# BWE 80/110/130

## Compact and robust professional mixer. 結實強力專業混合機

Ideal compromise between medium capacity and high professional performance machines.

These upright mixers use a proven motor and gear system to provide reliable mixing.



### ADVANTAGES

- The builder's choice for portability and safety
- Loads or tips either side for fast operation
- Barrow height discharge
- Easy to maintain
- Electric
- CE compliant, with NVR (No Volt Return) safety power switch
- Poly-V belts to obtain the best traction, sensible noise and vibration reduction
- Strong design of drum, frame and rubber tyres
- High resistant and quality component operating features,
- Foot pedal and tipping wheel mechanism with several mixing positions
- Pinion protection for safe operator use



Mixing

Ref	Model	Motor Power (hp / kW)	Drum Volume (litres)	Mixing Output (litre)	Drum Speed (rpm)	Dimensions (mm)			Weight (kg)
						W	H	L	
MU01	BWE 80 Electric 230v	0.6 / 0.45	130	80	29	750	1290	1340	60
MU02	BWE 110 Electric 230v	0.6 / 0.45	165	110	29	750	1355	1340	62
MU29	BWE 130 Electric 230v	0.6 / 0.45	180	130	29	750	1400	1340	67

Supplied ex-works Belle Poland, minimum order quantity - 66 units (1 40ft container), 33 units (1 20ft container)

France minimum order quantity - 10 units



# BWE 150/200/250



## Professional robust mixers. 專業結實的混合機

Large capacity on-site mixers with all the features that professional builders need.

The design and manufacture of these mixers provides the performance and durability for continuous use on large building projects.

⚡230 ⚡400



### ADVANTAGES

- Strong construction for reliable operation
- Loads or tips either side for fast operation
- Foot operated tipping lock gives operators safe control
- Electric - 230v or 400v
- Easy to maintain
- CE compliant, with NVR (No Volt Return) safety power switch

Mixing

Ref	Model	Motor Power (hp / kW)	Drum Volume (litres)	Mixing Output (litre)	Drum Speed (rpm)	Dimensions (mm)			Weight (kg)
						W	H	L	
MU03	BWE 150 Large electric mixer 400v	1.5 / 1.1	300	150	25	1100	1500	1900	185
MU04	BWE 150 Large electric mixer 230v	2 / 1.5	350	150	25	1100	1500	1900	185
MU05	BWE 200 Large electric mixer 400v	1.5 / 1.1	350	200	25	1100	1560	1900	190
MU06	BWE 200 Large electric mixer 230v	2 / 1.5	350	200	25	1100	1560	1900	190
MU07	BWE 250 Large electric mixer 400v	2 / 1.5	400	250	26	1150	1600	1950	240
MU08	BWE 250 Large electric mixer 230v	2.9 / 2.2	400	250	26	1150	1600	1950	240

Minimum order quantity -

BWE 150 & BWE 200 - 16/32 units (1 20/40ft container) / BWE 250 - 10/25 units (1 20/40ft container) - Supplied ex-works Belle Poland



# Superior 300/350/400

## Heavy duty mobile site mixer 重型移動式現場混合機

Large capacity on-site mixers with all the features that professional builders need.

The design and manufacture of these mixers provides the performance and durability for continuous use on large building projects.



### ADVANTAGES

- Loads or tips either side for fast operation
- Foot operated tipping lock gives operators safe control
- CE compliant, with NVR (No Volt Return) safety power switch
- Draw bar and steering axle



Mixing

Ref	Model	Motor Power (hp / kW)	Drum Volume (litres)	Mixing Output (litre)	Drum Speed (rpm)	Dimensions (mm)			Weight (kg)
						W	H	L	
MU10	Superior 300D Lombardini Diesel (4 wheels)	4.8 / 3.5	280	150	25	1155	1598	1765	255
MU12	Superior 300E Electric 230v (4 wheels)	2 / 1.5	280	150	25	1155	1598	1765	233
MU16	Superior 350D Lombardini Diesel (4 wheels)	4.8 / 3.5	333	200	25	1155	1660	1765	260
MU18	Superior 350E Electric 230v (4 wheels)	2 / 1.5	333	200	25	1155	1660	1765	238
MU22	Superior 400D Lombardini Diesel (4 wheels)	4.8 / 3.5	380	250	26	1155	1935	2135	310
MU24	Superior 400E Electric 230v (4 wheels)	2.9 / 2.2	380	250	26	1155	1935	2135	288

Superior 300-350 : 11/21 units (1 20/40ft container) / Superior 400 : 10/20 units (1 20/40ft container)  
 Minimum order quantity - 10 Units Supplied ex- works Belle Poland



# Premier XT

## 高性能重型移動式現場混合機

### High performance heavy duty mobile site mixer

An advanced range of mixers that adds even more durability to the proven Premier mixers.

To match site requirements four drum sizes are available to give different batch mixing capacities. All sizes share the same advantages built in as standard.



230



### ADVANTAGES

- Rigid mixing drum with reinforced rim
- Enhanced mixing performance from a unique paddle design
- Foot operated tipping lock gives operators safe control
- Stronger, easy to clean chassis
- High specification gearbox to survive the worst site conditions
- Lockable engine compartment, the new Premier operates with the lid closed

Mixing

Ref	Model	Motor Power (hp / kW)	Drum Volume (litres)	Mixing Output (litre)	Dimensions (mm)			Weight (kg)
					W	H	L	
PM89	Premier 150 XT Yanmar Diesel L48AE	4.7 / 3.5	300	160	900	1567	1790	344
PM45	Premier 150 XT 230v 1ph Electric	2 / 1.5	300	160	900	1567	1790	313
PM90	Premier 175 XT Yanmar Diesel L48AE	4.7 / 3.5	350	180	900	1527	1890	351
PM46	Premier 175 XT 230v 1ph Electric	2 / 1.5	350	180	900	1527	1890	321
PM91	Premier 200 XT Yanmar Diesel L48AE	4.7 / 3.5	400	220	900	1597	1890	354
PM47	Premier 200 XT 230v 1ph Electric	2 / 1.5	400	220	900	1597	1890	323





# Tract Mix

TRACT MIX型

## Towable site mixers 可托行現場混合機

introduces a range of road towable site mixers built for high performance and portability.

The Tract-Mix road towable mixer feature the latest approved towing system with tail lights.



**HONDA**


### ADVANTAGES

- Rigid frame for good stability with bolted-in paddles
- Enhanced mixing performance with a multi-vee belt for consistent drive and rotation
- Added protection of key machine areas - ring gear and lockable engine box
- Stronger, easy to clean chassis
- Rugged geardrive to survive the worst site conditions
- Adjustable leg height
- High quality wheel suspension
- Large hand-wheel for easy tipping with foot pedal locking system



Mixing

Ref	Model	Motor	Power (hp / kW)	Drum Volume (litres)	Mixing Output (litre)	Dimensions (mm)			Weight (kg)	
						W	H	Mixing L		
TMR308Y	Tract-Mix 360 Yellow	Petrol Honda GX160	5.5 / 4	350	250	1050	1800	1850	2240	330
Options										
944/99138	Mudguards & brackets									
OPM-09-DIO	Towing Socket 50mm dia. inc. draw bar									



# Belle Clean - New

## Concrete Dissolver 水泥溶解劑清潔劑

BELLE-CLEAN is an acid alternative with no odours or fumes. It attacks the Portland in cement, completely dissolving the hardened cement to a mushy substance that is completely rinseable with cold water.

BELLE-CLEAN can be used to remove cured cement, concrete, mortar, grout or render off any surface.

For use on : Mixers, Trowels, Screeds, Pokers, Floats, Cement trucks, Block splitters, Saws, Patios, Wooden decks, Vehicles and much more...



### ADVANTAGES

- No Phosphoric Acid
- No Hydrochloric Acid
- Non Corrosive
- Non Hazardous to Equipment
- Non Fuming
- No toxic to inhale
- Environmentally friendly : 100% Biodegradable
- Ready to use : does not need to be mixed before use
- For best results use the FOAM application, achieved by twisting nozzle to word 'FOAM'

Mixing



Ref	Model
CD00650	1 x 650 ml Bottle
CD15650	15 x 650 ml Bottles
CD19000	1 x 18.9 litre Drum
CD20000	1 x 200 litre Drum

